

PHILIPS

EasyKey

6000 series

Smart Lever Door
Lock

DDL603E-5HWS



Unlock new joy in life

Wi-Fi connection, smart life under control

Wi-Fi-enabled DDL603E supports you to distribute one-time PIN code and check the access records remotely, etc. With the fingerprint sensor integrated into the handle, unlocking is convenient in one grip, which adds more fun to your life.

Built-in Wi-Fi module

A built-in Wi-Fi module allows you to connect to the Wi-Fi without a gateway. You can check the smart lock access records and PIN code information via the Philips EasyKey app anywhere. Remote distribution of a one-time PIN code with 30-minute validity saves more time for the visitors. No more worries about keeping them waiting at the door even if you are not at home.

Intuitive fingerprint

Adopted the integrated handle design with an FPC semiconductor fingerprint, the fingerprint recognition speed of Philips DDL603E is less than 0.5 s. Pressing down the handle allows one grip to unlock and brings you a fast and intuitive opening experience.

Mute by "0" button

The "0" button is used both as a digit button and a mute button. Long press the "0" button for 2 seconds to enable the mute mode no matter you are in or out. Without disturbing your family at night, the thoughtful design allows you to get back home in a quiet manner, which leaves a quiet place for the family.

Safehandle function

You can enable the safehandle feature before leaving home. After the door is locked, the indoor handle will be frozen so that nobody could open the door by pressing down the inside handle. This feature can prevent children and pets from accidentally opening the door, thus eliminating security risks.





● Specifications

General Characteristics

Material	Aluminium
Finishing	Baking varnish
	Gloss finish
Color	Black
Handle	Lever handle
Mortise	Electronic mortise
	C-grade lock cylinder
Fingerprint sensor	Semiconductor sensor

Access Solution

Outside unlocking	Fingerprint
	PIN code
	Card/Key tag
	Mechanical key
	Temporary PIN code
Inside unlocking	Handle

Capacity

Fingerprint	100
Card/Keytag	100
Master PIN code	1
User PIN code	20
One-time PIN code	1

Modes

Operation mode	Manual mode
System unlock mode	General mode
	Dual verification mode

Electrical Power

Working power supply	4 AA batteries
Battery life	10 months*
Emergency power supply	5V power bank

Operating Environment

Temperature	-20°C~+60°C
Humidity	15%RH~93%RH

Installation Requirements

Door thickness	38~60mm
	60~90mm
	90~120mm
Door swing	Left inward/Left outward
direction	Right inward/Right outward
Door type	Wooden/Copper/
	Security door

Key Features

Lock	Inside deadlock
Safety	System lock

	Hidden PIN code
	Dual verification
Alert	Anti-dismantling alert
	System lockout alert
Emergency escape	Indoor fast
	opening mortise
Update	OTA
	Batch upgrade
Indicator	Low battery indicator
	Lock status indicator
	Mute status indicator
	System lock indicator
Voice guide	Human voice guide

* 10 months: The laboratory data, the actual battery life will vary depending on the using scenes.

Product specifications are subject to modify without prior notice.

The Philips and the Philips Shield Emblem are registered trademarks and property of Koninklijke Philips N.V. and are used under license.

